

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,740,399 B1
DATED : May 25, 2004
INVENTOR(S) : George, Clayton A.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page,

Item [56], **References Cited**, OTHER PUBLICATIONS, insert the following:

-- Patent abstracts of Japan, vol. 1998, no. 12 & JP 10 195393 A, July 28, 1998 --;

Column 1,

Line 7, delete "incorporated", insert in place thereof -- incorporated --;

Line 25, delete "cuing", insert in place thereof -- curing --;

Line 54, delete "fame", insert in place thereof -- frame --;

Line 55, delete "use", insert in place thereof -- rise --;

Column 3,

Line 59, delete "sin-over", insert in place thereof -- skin-over --;

Column 4,

Line 9, delete "source", insert in place thereof -- surface --;

Column 5,

Line 21, after "techniques" insert -- . --;

Column 6,

Line 22, delete "4epoxy", insert in place thereof -- 4 epoxy --;

Line 65, delete "polymerizable", insert in place thereof -- polymerizable --;

Column 7,

Line 3, delete "tackfiers", insert in place thereof -- tackifiers --;

Line 8, after "thereof", insert -- . --;

Line 15, after "Law" delete " , ", insert in place thereof --) --;

Column 9,

Lines 64-65, delete "filters", insert in place thereof -- fillers --;

Column 10,

Line 8, delete "respective", insert in place thereof -- respective --;

Line 49, after "stabilizers", insert -- , --;

Line 60, delete "bemused", insert in place thereof -- be used --;

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,740,399 B1
DATED : May 25, 2004
INVENTOR(S) : George, Clayton A.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 11,

Line 38, delete "substrate", insert in place thereof -- substrates --;
Line 45, delete "polycarbonat", insert in place thereof -- polycarbonate --;
Line 48, delete "polybarbonate", insert in place thereof -- polycarbonate --;
Line 56, after "of", insert -- , --;

Column 12,

Line 11, delete "temple", insert in place thereof -- temperature --;
Line 49, delete "prerable", insert in place thereof -- preferable --;

Column 13,

Line 16, delete "dampned", insert in place thereof -- clamped --;
Line 48, delete "U", insert in place thereof -- as --;

Column 14,

Line 26, delete "Dynapon" insert in place thereof -- Dynapol --;
Line 55, delete "lacure", insert in place thereof -- Irgacure --;

Column 15,

Line 7, delete "calorimeter", insert in place thereof -- colorimeter -- in both instances;
Line 23, delete "millihoules", insert in place thereof -- milliJoules --;
Line 56, delete "Eastnan", insert in place thereof -- Eastman --;

Column 18,

Line 6, delete "DynapolTM402", insert in place thereof -- DynapolTM51402 --;

09,713,382.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,740,399 B1
DATED : May 25, 2004
INVENTOR(S) : George, Clayton A.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:


Column 19.

Line 12, delete "arcylic", insert in place thereof -- acrylic --;

Line 36, delete "extintion", insert in place thereof -- extinction --.

Signed and Sealed this

Twenty-third Day of November, 2004

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, sweeping initial "J" and a distinct "D".

JON W. DUDAS
Director of the United States Patent and Trademark Office